



**OneCall** +44 (0)1639 777 009

**Global Rehire and Resale Specialists for**  
New & Used Lighting Towers, Engine Driven Welders & Generators

**Specialist Petrol & Diesel**  
**Railtrack Approved Trackside**

# **Generators**

**Range 3kVA to 6.5kVA**

**Standard & Silent**

**Rugged & Reliable Power**



# MHM Gen is the market innovator of power generation equipment to the UK Rental, Construction, Agricultural, Electrical, Rail, Pipeline, Quarry and MOD sectors

## Sole UK Supplier

MHM is the sole UK & Ireland distributor of GenSet Spa and Tekno Proget generators & welders and has been since 1978. All product is manufactured in custom-built facilities based near Milan, Italy.

## Commitment

Over the years MHM Gen has always shown commitment to providing the highest quality generators and welders and have built a well-earned reputation for the supply of quality equipment. MHM Gen prides itself in the reliability of its products, a dedication to meeting customer specifications and a first-class after sales back-up service. All MHM Gen products are tried and tested in our own UK National Rehire fleet.

## Spares, Repairs & Training

A full range of spare parts is stocked with workshop and field service engineers available for repairs and maintenance. MHM has invested in state-of-the-art facilities which provide training programmes that are tailored to suit the specific needs of individual MHM clients.

## Used Generators for Sale

1. Available from MHM – All models and ages, check out stock live online at [www.mhmplant.com](http://www.mhmplant.com)
2. All machines are fully serviced and tested (Test certificate supplied with machine)
3. Payment terms on used equipment = Immediate only



If you would like a visit from one of our sales team, feel free to contact the office today

GenSet and Genquip are both sister companies

Specialist Petrol & Diesel Railtrack Approved Trackside  
**Generators Range 3kVA to 6.5kVA**



**MG 3000 RT**



**MG 3500 RT**



**MG 5000 RT**



**MG 6500 RT**



**MG 4000 SD-RT**



**MG 4000 SD/ES-RT**



## Optional extras

- Handle and wheel kit - 4 through to 6.5kVA



## Parts and services

MHM Gen parts and service packages offer our customers genuine parts replacement direct from the manufacturer, and an instant response from our service engineers that guarantees customers peace of mind.

MHM Gen engineers are highly trained to offer machine inspections and repairs, and product/service training.

The MHM Gen aftersales policy provides a comprehensive package of support during the machine's working life, our aim being to minimise downtime and maximise the revenue potential of the machine.



# MG 3000 RT

## Railtrack Approved 3kVA Petrol Generator

When looking for a robust, reliable, good quality 3kVA petrol generator look no further than our MG 3000 RT.



### Features

- Railtrack Approved
- 3kVA (110V only) CTE (55V-0-55V)
- Mecc Alte alternator
- Honda petrol engine
- Strong wrap around frame
- Only 45 Kgs
- Extra large fuel tank

### Benefits

- Trackside Ready
- Plenty of power to run a variety of tools on site
- Heavy duty and proven reliability
- Featuring low oil level shutdown
- Great protection in rental environment
- Extremely light weight
- Extra long run time

### Specifications

#### Performance

Alternator	Mecc Alte
Single Phase Power - kVA (110v)	3
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level	LWA=96 dBa@7m=71
Insulation Class	H
Mechanical Protection - IP	23

#### Engine

Make	Honda
Type	GX160
Fuel	Petrol
Number of Cylinders	1
Power - HP	5.5

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	1
Fuel Tank Capacity - litres	11
75% Average Operating Hours - hours	11
Starting System	Recoil

#### Dimensions (Machine only)

Length - 600 mm	Width - 410 mm
-----------------	----------------

Height - 445 mm	Weight - 45 Kg
-----------------	----------------

#### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
MG 3000 RT	-	-	-	-	1	1

# MG 3500 RT

## Railtrack Approved 3.5kVA Petrol Generator

When looking for a robust, reliable, good quality 3.5kVA petrol generator look no further than our MG 3500 RT.



### Features

- Railtrack Approved
- 3.5kVA (110V only) CTE (55V-0-55V)
- Mecc Alte alternator
- Honda petrol engine
- Strong wrap around frame
- Only 45 Kgs
- Extra large fuel tank

### Benefits

- Trackside Ready
- Plenty of power to run a variety of tools on site
- Heavy duty and proven reliability
- Featuring low oil level shutdown
- Great protection in rental environment
- Extremely light weight
- Extra long run time

### Specifications

#### Performance

Alternator	Mecc Alte
Single Phase Power - kVA (110v)	3.5
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level	LWA=96 dBa@7m=71
Insulation Class	H
Mechanical Protection - IP	23

#### Engine

Make	Honda
Type	GX200
Fuel	Petrol
Number of Cylinders	1
Power - HP	6.5

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	1.1
Fuel Tank Capacity - litres	11
75% Average Operating Hours - hours	10
Starting System	Recoil

#### Dimensions (Machine only)

Length - 600 mm	Width - 410 mm
-----------------	----------------

Height - 445 mm	Weight - 45 Kg
-----------------	----------------

#### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
<b>MG 3500 RT</b>	-	-	-	-	1	1



# MG 5000 RT

## Railtrack Approved 5kVA Petrol Generator

When looking for a robust, reliable, good quality 5kVA petrol generator look no further than our MG 5000 RT.



Optional  
Extras



Trolley  
Kit

### Features

- Railtrack Approved
- 5kVA (110V only) CTE (55V-0-55V)
- Mecc Alte alternator
- Honda petrol engine
- Strong wrap around frame
- Only 66 Kgs
- Extra large fuel tank

### Benefits

- Trackside Ready
- Plenty of power to run a variety of tools on site
- Heavy duty and proven reliability
- Featuring low oil level shutdown
- Great protection in rental environment
- Extremely light weight
- Extra long run time

### Specifications

#### Performance

Alternator	Mecc Alte
Single Phase Power - kVA (110v)	5
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level LWA=96 dBa@7m=71	
Insulation Class	H
Mechanical Protection - IP	23

#### Engine

Make	Honda
Type	GX270
Fuel	Petrol
Number of Cylinders	1
Power - HP	8.5

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	1.6
Fuel Tank Capacity - litres	19
75% Average Operating Hours - hours	11.5
Starting System	Recoil

#### Dimensions (Machine only)

Length - 800 mm	Width - 520 mm
-----------------	----------------

Height - 556 mm	Weight - 66 Kg
-----------------	----------------

#### Dimensions (Trolley kit with handles folded out)

Length - TBA	Width - TBA
--------------	-------------

Height - TBA	Weight - TBA
--------------	--------------

#### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
MG 5000 RT	-	-	-	-	1	2

# MG 6500 RT

## Railtrack Approved 6.5kVA Petrol Generator

When looking for a robust, reliable, good quality 6.5kVA petrol generator look no further than our MG 6500 RT.



Optional  
Extras



Trolley  
Kit

### Features

- Railtrack Approved
- 6.5kVA (110V only) CTE (55V-0-55V)
- Mecc Alte alternator
- Honda petrol engine
- Strong wrap around frame
- Only 66 Kgs
- Extra large fuel tank

### Benefits

- Trackside Ready
- Plenty of power to run a variety of tools on site
- Heavy duty and proven reliability
- Featuring low oil level shutdown
- Great protection in rental environment
- Extremely light weight
- Extra long run time

### Specifications

#### Performance

Alternator	Mecc Alte
Single Phase Power - kVA (110v)	6.5
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level LWA=96 dBa@7m=71	
Insulation Class	H
Mechanical Protection - IP	23

#### Engine

Make	Honda
Type	GX390
Fuel	Petrol
Number of Cylinders	1
Power - HP	13

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	2.4
Fuel Tank Capacity - litres	19
75% Average Operating Hours - hours	8
Starting System	Recoil

#### Dimensions (Machine only)

Length - 800 mm	Width - 520 mm
-----------------	----------------

Height - 556 mm	Weight - 66 Kg
-----------------	----------------

#### Dimensions (Trolley kit with handles folded out)

Length - TBA	Width - TBA
--------------	-------------

Height - TBA	Weight - TBA
--------------	--------------

#### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
MG 6500 RT	-	-	-	-	1	2



# MG 4000 SD-RT

## Railtrack Approved 4kVA Diesel Generator

When looking for a robust, light weight, good quality 4kVA diesel generator look no further than our MG 4000 SD-RT.

**Optional  
Extras**



Trolley  
Kit



## Features

- Railtrack Approved
- 4kVA (110V only)  
CTE (55V-0-55V)
- Linz alternator
- Lombardini diesel engine
- Only 79 Kgs

## Benefits

- Trackside Ready
- Plenty of power to run a variety of tools onsite
- Heavy duty and proven reliability
- Power, reliability and robust strength
- Extremely light weight

## Specifications

### Performance

Alternator	Linz
Single Phase Power - kVA (110v)	4
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level LWA=95 dBa@7m=70	
Insulation Class	H
Mechanical Protection - IP	23

### Engine

Make	Lombardini
Type	15LD350
Fuel	Diesel
Number of Cylinders	1
Power - HP	7.5

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	1
Fuel Tank Capacity - litres	13
75% Average Operating Hours - hours	13
Starting System	Recoil

### Dimensions (Machine only)

Length - 775 mm	Width - 475 mm
-----------------	----------------

Height - 560 mm	Weight - 79 Kg
-----------------	----------------

### Dimensions (Trolley kit with handles folded out)

Length - 825 mm	Width - 490 mm
-----------------	----------------

Height - 570 mm	Weight - 89 Kg
-----------------	----------------

### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
<b>MG 4000 SD-RT</b>	-	-	-	-	1	1

# MG 4000 SD/ES-RT

## Railtrack Approved 4kVA Diesel Generator

When looking for a robust, light weight, good quality 4kVA diesel generator look no further than our MG 4000 SD/ES-RT

Optional  
Extras



Trolley  
Kit



### Features

- Railtrack Approved
- 4kVA (110V only) CTE (55V-0-55V)
- Linz alternator
- Lombardini diesel engine
- Only 94 Kgs
- Complete with electric starting system

### Benefits

- Trackside Ready
- Plenty of power to run a variety of tools onsite
- Heavy duty and proven reliability
- Power, reliability and robust strength
- Extremely light weight
- Effort-free start up

### Specifications

#### Performance

Alternator	Linz
Single Phase Power - kVA (110v)	4
Single Phase Power - kVA (230v)	N/A

Three Phase Power - kVA (400v)	N/A
Noise Level LWA=95 dBa@7m=70	
Insulation Class	H
Mechanical Protection - IP	23

#### Engine

Make	Lombardini
Type	15LD350
Fuel	Diesel
Number of Cylinders	1
Power - HP	7.5

Engine Speed - rpm	3000
Cooling	Air
Fuel Consumption - Litres/hour	1
Fuel Tank Capacity - litres	13
75% Average Operating Hours - hours	13
Starting System	Electric

#### Dimensions (Machine only)

Length - 775 mm	Width - 475 mm
-----------------	----------------

Height - 560 mm	Weight - 84 Kg
-----------------	----------------

#### Dimensions (Trolley kit with handles folded out)

Length - 825 mm	Width - 490 mm
-----------------	----------------

Height - 570 mm	Weight - 94 Kg
-----------------	----------------

#### Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
MG 4000 SD/ES-RT	-	-	-	-	1	1

## Other products from MHM

- UK Rental 3–15kVA Petrol & Diesel Generators
- UK Rental 175–600A Petrol & Diesel Engine Driven Welder Generators
- M-Power Generators 15–700kVA
- UK Rental Centurion Generators 15–275kVA
- Specialist Welfare Generators 4–30kVA
- Standard and bespoke power products suitable for a variety of applications such as:
  - > Rail
  - > Military
  - > Domestic and leisure
  - > Telecommunications and IT
  - > Industrial
  - > Oil and gas
  - > Water and sewage
  - > Marine
  - > Rental
  - > Mining and quarrying
  - > Agriculture
  - > Building and construction

In line with our continued development, innovation and voice of customer program, we reserve the right to change data without notice.



For more information on  
other products from MHM

**Tel 01639 777 009**

**Email [sales@mhmplant.com](mailto:sales@mhmplant.com)**

**[www.mhmplant.com](http://www.mhmplant.com)**



In line with our continued development, innovation and voice of customer program, we reserve the right to change data without notice.