

# MG 10000 - Tin 12

### 10kVA Tin 12 Petrol Generator

When looking for robust, reliable, good quality 10kVA Tin 12 petrol generator, look no further than our MG 10000 – Tin 12. Fusion models are designed to suit Tin 12 gas and water applications for butt + electro boxes - 110V CTE.

Optional







10kVA (110V) AC Aux Power

NSM alternator

Honda petrol engine (Stage 5)

Top cover and strong wrap-around frame

Only 110kg

## Features Benefits

Plenty of power to run large gas and water applications

Heavy duty and proven reliability and extra smooth wave form

Featuring low oil level shutdown

Great protection in tough environments

Lightweight design





## Specification

### **Performance**

Alternator	NSM C112 SB
Single Phase Power (110V)	10kVA/8kW
Single Phase Power (230V)	N/A

Noise Level	LWA=100	dBa@7m=75
Insulation Class		Н
Mechanical Protec	tion - IP	23

Liigiiic	
Make	Honda
Туре	GX630 (Stage 5)
Fuel	Petrol
Number of Cylinders	2
Power (HP)	16.1
Engine Speed (RPM)	3000
Cooling	Air

Fuel Consumption @ 75%	์ Load (Litres/hoเ	ır) 3.2
Fuel Tank Capacity (Litres)	18	
Average Runtime (Hours)		
@ 100% Load 2.75	@ 75% Load	5.5
@ 50% Load 3.6	@ 25% Load	7.3
CO2 Output Per Hour @ 7:	7.68kg	
Starting System	Electric	

### **Dimensions** (Machine only)

Length: 840 mm	Width: 575 mm	Height: <b>620</b> mm
Dry Weight (No Fuel): 110 kg		Wet Weight (Fuel Full): 128 kg
Dimensions (Trolley kit)		
Length: TBA mm	Width: TBA mm	Height: <b>TBA</b> mm

Saakat Canfaunation	1ph (110V)		
Socket Configuration	63A	32A	16A
MG 10000 – Tin 12	1	a1	2

For more details call MHM TODAY

on **0808 168 9099** 

Email sales@mhmplant.com or visit us at www.mhmplant.com











