

MG 6500 – Tin 12

6.5kVA Tin 12 Petrol Generator

When looking for robust, reliable, good quality 6.5kVA Tin 12 petrol generator, look no further than our MG 6500 – Tin 12. Fusion models are designed to suit Tin 12 gas and water applications for butt + electro boxes – 110V CTE.

Optional extras:



Stage 5 Engine



POWERED by **HONDA**
GX Engine 5 Year Warranty (Limited)

Features

6.5kVA (110V)
AC Aux Power

NSM alternator

Honda petrol engine (Stage 5)

Strong wrap-around frame

Only 65kg

Benefits

Plenty of power to run medium size gas and water applications

Heavy duty and proven reliability and extra smooth wave form

Featuring low oil level shutdown

Great protection in tough environments

Lightweight design



Specification

Performance

Alternator	NSM C100SG	Noise Level	LWA=96 dBa@7m=71
Single Phase Power (110V)	6.5kVA/ 5.2kW	Insulation Class	H
Single Phase Power (230V)	N/A	Mechanical Protection - IP	23

Engine

Make	Honda	Cooling	Air
Type	GX390 (Stage 5)	Fuel Consumption @ 75% Load (Litres/hour)	2.7
Fuel	Petrol	Fuel Tank Capacity (Litres)	6.1
Number of Cylinders	1	Average Runtime @ 75% Load (Hours)	2.2
Power (HP)	13	CO ₂ Output Per Hour @ 75% Load	6.48kg
Engine Speed (RPM)	3000	Starting System	Recoil

Dimensions (Machine only)

Length: 690 mm	Width: 480 mm	Height: 540 mm
Dry Weight (No Fuel): 65 kg	Wet Weight (Fuel Full): 71 kg	

Dimensions (Trolley kit)

Length: TBA mm	Width: TBA mm	Height: TBA mm
Dry Weight (No Fuel): 70 kg	Wet Weight (Fuel Full): 76 kg	

Socket Configuration

MG 6500 – Tin 12	1ph (110V)	
	32A	16A
	1	2

For more details call **MHM TODAY**
on **0808 168 9099**

Email sales@mhmplant.com or visit us at www.mhmplant.com



Designed in the UK,
built in Italy



GROUP
The Preferred Supplier

