

MG 7500 - Tin 12

7.5kVA Tin 12 Petrol Generator

When looking for robust, reliable, good quality 7.5kVA Tin 12 petrol generator, look no further than our MG 7500 - Tin 12. Fusion models are designed to suit Tin 12 gas and water applications for butt + electro boxes – 110V CTE.

Optional









GX Engine 5 Year

Features Benefits

7.5kVA (110V) AC Aux Power

NSM alternator

Honda petrol engine (Stage 5)

Strong wrap-around frame

Only 73kg

Plenty of power to run medium to large gas and water applications

Heavy duty and proven reliability and extra smooth wave form

Featuring low oil level shutdown

Great protection in tough environments

Lightweight design



Specification

Performance

Alternator	NSM S20W-110	
Single Phase Power (110V)	7.5kVA/ 6kW	
Single Phase Power (230V)	N/A	

Noise Level	LWA=97	dBa@7m=72
Insulation Class	Н	
Mechanical Protecti	on - IP	23

Engine	
Make	Honda
Туре	GX390 (Stage 5)
Fuel	Petrol
Number of Cylinders	1
Power (HP)	13
Engine Speed (RPM)	3000

Cooling	Air
Fuel Consumption @ 75% Load (Litres/hour	2.7
Fuel Tank Capacity (Litres)	6.1
Average Runtime @ 75% Load (Hours)	2.2
CO2 Output Per Hour @ 75% Load	6.48kg
Starting System	Recoil

Dimensions (Machine only)

Length: TBA mm	Width: TBA mm	Height: TBA mm	
Dry Weight (No Fuel): 73 kg	We	t Weight (Fuel Full): 79 kg	
Dimensions (Trolley kit)			
Length: 810 mm	Width: 630 mm	Height: 730 mm	
Dry Weight (No Fuel): 78 kg	Wet Weight (Fuel Full): 84 kg		
Socket Configuration	1ph (110V)		
Socket Configuration	32A	16A	
MG 7500 – Tin 12	1	2	

For more details call MHM TODAY

on **0808 168 9099**

Email sales@mhmplant.com or visit us at www.mhmplant.com









