

MG 3000 RT 3kVA Railtrack Approved Petrol Generator

When looking for robust, reliable, good quality 3kVA Railtrack Approved petrol generator, look no further than our MG 3000 RT.

Features	Benefits	Stage 5 Engine	Engine	YEAR ARRANTY	POWERED by HONDA GX Engine 3 Year Warranty (Limited)
Railtrack approved	Trackside ready				
3kVA (110V) CTE (55V-0-55V)	Plenty of power to run a variety of tools on site				
NSM alternator	Heavy duty and proven reliability				
Honda petrol engine (Stage 5)	Featuring low oil level shutdown			1	
Special stackable-friendly frame	Simple and easy transport & storage		94. (6	3	
Strong wrap-around frame	Great protection in a rail environment				
Only 46kg	Lightweight design			A	
Extra large fuel tank	Extra long run time		3 - 1		
			3	1 See	

Specification

Performance

Single Phase Power (110V) 3kVA/2.4kW Insulation Class H Single Phase Power (230V) N/A Mechanical Protection - IP 22	Alternator	NSM K100C	Noise Level	LWA=95 (dBa@7m=70
Single Phase Power (230V) N/A Mechanical Protection – IP 2	Single Phase Power (110V)	3kVA/ 2.4kW	Insulation Class		Н
	Single Phase Power (230V)	N/A	Mechanical Prote	ction – IP	23

Honda	Cooling	Air
GX160 (Stage 5)	Fuel Consumption @ 75% Load (Litres/hour)	1
Petrol	Fuel Tank Capacity (Litres)	11
1	Average Runtime@ 75% Load (Hours)	11
5.5	CO2 Output Per Hour @ 75% Load	2.4kg
3000	Starting System	Recoil
	GX160 (Stage 5) Petrol 1 5.5	GX160 (Stage 5) Fuel Consumption @ 75% Load (Litres/hour) Petrol Fuel Tank Capacity (Litres) 1 Average Runtime@ 75% Load (Hours) 5.5 CO2 Output Per Hour @ 75% Load

Dimensions (Machine only)

Length: 610 mm	Width: 420 mm	Height: 540 mm
Dry Weight (No Fuel): 46 kg		Wet Weight (Fuel Full): 57 kg

Socket Configuration	1ph (110V)		
Socket Configuration	32A	16A	
MG 3000 RT	-	2	

For more details call **MHM TODAY** on **0808 168 9099**

Email sales@mhmplant.com or visit us at www.mhmplant.com



