

Mighty Midget 3/200 L-RS

200A Diesel Welder Gen



This World Class design is unique to MHM making it the smallest and lightest engine driven diesel welder/generator on the global market featuring recoil start.

Features

3kVA (230V/110V)

AC Aux Power

DC Welding range 40–200A

Kohler/ Lombardini
diesel engine (Stage 5)

HVO (Hydrotreated Vegetable Oil)
fuel approved

Complete with trolley kit

Only 64kg

Benefits

Plenty of power to run a variety
of tools on site

Will burn a 4mm rod

Recoil start, proven reliability
& robust strength

Suitable to run off either diesel, HVO
or a mixture of both fuels

Nice and easy manoeuvrability

Extremely light weight



**Recoil
start**

Specification

Performance

Type	Linz + Permanent Magnet	Single Phase Power (230V)	3kVA/ 2.4kW
Welding (Amps DC)	40–200	Max Welding Rods (mm)	4
Duty Cycle (Amps) @ 60% 165 @ 35% 200		Noise Level	LWA=99 dBa@7m=74
Open Circuit Voltage (V)	85	Insulation Class	H
Single Phase Power (110V)	3kVA/ 2.4kW	Mechanical Protection - IP	23
		Remote Control Socket	N/A

Engine

Make	Kohler/ Lombardini	Cooling	Air
Type	15LD350 (Stage 5)	Fuel Consumption @ 75% Load (Litres/hour)	1
Fuel	Diesel / HVO (HVO = BS EN 15940:2016 Only)	Fuel Tank Capacity (Litres)	4.3
Number of Cylinders	1	Average Runtime (Hours) @ 75% Load	4.3
Power (HP)	7.5	CO ₂ Per Hour @ 75% Load	2.62kg
Engine Speed (RPM)	3600	Starting System	Recoil

**Stage 5
Engine**



**LOMBARDINI
KOHLER**
2 Year Engine
Warranty (Limited)

Dimensions (Trolley kit with handles folded out)

Length: 990 mm	Width: 600 mm	Height: 660 mm
Dry Weight (No Fuel): 64 kg	Wet Weight (Fuel Full): 68.3 kg	

Dimensions (Trolley kit with handles folded in)

Length: 680 mm	Width: 600 mm	Height: 660 mm
Dry Weight (No Fuel): 64 kg	Wet Weight (Fuel Full): 68.3 kg	

Socket Configuration	1ph (230V)	1ph (110V)
	16A	16A
Mighty Midget 3/200 R-ES	1	1

For more details call **MHM TODAY**
on **0808 168 9099**

Email sales@mhmplant.com or visit us at www.mhmplant.com



Designed in the UK,
built in Italy



GROUP
The Preferred Supplier

