

GW 10/300 SSK

Water Cooled
Super
Silent



300A Diesel Welder Gen

Our unique combination of extra smooth DC power & extra large multi-voltage auxiliary power is a perfect solution for many power and welding applications whether it be on site or rental.



Multi
Voltage
400V 230V 110V

Optional Extras

All pictures are for illustration purposes only, actual machines supplied may differ in appearance and specification.



Trolley Kit



Road-tow Kit



Chalwyn Valve



Spark Arrestor



Remote Control

Features

- 10kVA Multi-voltage
Aux power (400/230/110v)
- DC Welding range 30 - 300A
- Kubota Diesel Engine
- Chopper Technology
- Switchless AC and DC power

Benefits

- Hugely versatile with a great advantage in rental
- Will burn up to a 6mm rod
- World class performance & Watercooled
- Unrivalled weld quality & performance
- Can be used as a welder or generator or both simultaneously

Specifications

Performance

Type	Linz + Permanent Magnet
Welding - amps D.C.	30 - 300
Open Circuit Voltage - V	80
Single Phase Power (110v)	4kVA/ 3.2kW
Single Phase Power (230v)	6kVA/ 4.8kW
Three Phase Power (400v)	10kVA/ 8kW

Max Welding Rods - mm	6
Noise Level LWA=88 dBa@7m=63	
Insulation Class	H
Mechanical Protection - IP	23
Remote Control Socket	Yes

Engine

Make	Kubota
Type	D1105
Fuel	Diesel
Number of Cylinders	3
Power - HP	14

Engine Speed - rpm	3000
Cooling	Water
Fuel Consumption - Litres/hour	2.2
Fuel Tank Capacity - litres	32
Average Runtime @ 75% Load (Hours)	14
Starting System	Electric

Dimensions (Machine only)

Length - 1410 mm	Width - 700 mm
------------------	----------------

Height - 835 mm	Weight - 390 Kg
-----------------	-----------------

Dimensions (With trolley kit)

Length - 1895 mm	Width - 940 mm
------------------	----------------

Height - 980 mm	Weight - 400 Kg
-----------------	-----------------

Dimensions (With road-tow kit)

Length - 2500 mm	Width - 1160 mm
------------------	-----------------

Height - 1130 mm	Weight - 520 Kg
------------------	-----------------

Socket Configuration

	3ph (400V)		1ph (230V)		1ph (110V)	
	32A	16A	32A	16A	32A	16A
GW 10/300 SSK	1	-	1	-	1	-

